

NOAA's Airborne Snow and Soil Moisture Survey and The National Snow Analysis

Office of Water Prediction Carrie Olheiser

SnowEx September 18, 2019



To support the National Weather Service's mission by producing the best estimate of snow water equivalent using all available data including satellite, airborne, and in-situ observations to protect life and property and the enhancement of the national economy.

Operational mission collecting SWE measurements since 1980.

Multi-sensor Snow Observations

Snow Modeling and Data
Assimilation

Snow Information Products

Ground

Airborne

Satellite

Numerical Weather Prediction Model

Gridded Snow Characteristics

U.S.

1-km²

Hourly


Data Products


Interactive Maps

Time Series Plots

Text Discussions







• PRODUCTS

- Hourly and Daily
- 1 km² Resolution


• INTERNET

- Interactive Maps
- 3D Visualization
 - e.g. Google Earth
- Time-series loops
- National/Regional Discussions
- Text summaries by watershed
- Point Queries

• DIRECT FEED

- Push or Pull
- Gridded Data
- Flat Binary or GIS-ready

OWP NWS Clients



Who uses our information?

National Weather Service

- 13 River Forecast Centers
- Weather Forecast Offices















Federal and State Agencies

- •U.S. Army Corps of Engineers
- Bureau of Reclamation
- •New York Department of Environmental Protection
- Natural Resources Conservation Service
- Department of Transportation
- •Montana Department of Emergency Services
- San Francisco Public Utilities Commission
- •University of Albany ASRC/CESTM
- •University of Wisconsin Sea Grant Institute
- National Snow and Ice Data Center



Private Sector


- Baron Advanced Meteorological Systems, LLC
- Weather Channel
- Meteorlogix, Inc.
- Merrril Lynch
- Weather Decision Technologies, Inc.
- SnowStreet
- AccuWeather
- Snow Plow Operators
- Oppenheimer
- Campbell Soup Company
- Snowmobile outfitters
- Mountaineers
- General Public

Canadian

- Manitoba Department of Natural Resources
- New Brunswick Department of Natural Resources
- Alberta Environment
- BC Hydro
- British Columbia Ministry of Environment
- Environment Canada
- Saint John River Basin Commission



Multi-sensor Snow Observations



- National Weather Service
 - First-order Stations
 - Cooperatives
- Federal and State Agencies
 - NRCS SNOTEL and Snow Courses
 - USACE New England District Snow Surveys
 - Federal Aviation Administration
 - California Dept. of Water Resources
- Regional Mesonets and Surveys
 - State Mesonets
 - CoCoRAHS
 - MesoWest (150 smaller mesonets)
- International Agencies
 - St. John River Basin
 - Environment Canada
 - BC Hydro


Multi-sensor Snow Observations

Ground


Airborne

Satellite


NWS Airborne Snow Survey Program







Airborne Platforms











Gamma Detection System










Gamma Detection System Today






Natural Terrestrial Gamma Radiation






Natural Terrestrial Gamma Radiation






Typical Flight Line



Typical Flight Line

Airborne measurements integrate shallow and deep snow packs.







Typical Flight Line

Ground ice 2 to 4 inches thick also act like snow water equivalent.







Colorado SnowEx 19/20




Colorado SnowEx 19/20

















Colorado Flight Line





Multi-sensor Snow Observations

Ground

Airborne

Satellite











```
SRUS43 KMSR 041017
RRMASP
.BR GAMMA 180404 /SAIRF/SWIRF
:TO ----- Service Hydrologist (Please give HARDCOPY to SH)
:FROM ---- Carrie Olheiser, (952) 368-2503, Minneapolis, Minnesota
:Visit our web page at www.nohrsc.noaa.gov
:SUBJECT - AIRBORNE SNOW WATER EQUIVALENT DATA
                                                           180404101712
: Total No. of flight lines sent = 21
:Line Survey %SC SWE SWE %SM Est Fall %SM Pilot
:No. Date (in) (35%) (M) Typ Date (F) Remarks
MT404 DY180404 / 95 / 1.9 : 1.2, 23 AI 170919 , 23
MT405 DY180404 / 95 / 2.0 : 1.5, 26 AI 170919 , 26 field stubble
MT406 DY180404 / 100 / 2.0 : 1.5, 26 AI 170919 , 26 field stubble
MT407 DY180403 / 100 / 2.1 : 1.8, 29 AI 170919 , 29
MT409 DY180403 / 100 / 2.5 : 2.1, 28 AI 170919 , 28
MT410 DY180404 / 100 / 1.8 : 1.3, 26 AI 170919 , 26 Little Bighorn River open
MT411 DY180404 / 100 / 2.7 : 2.2, 26 AI 170919 , 26
MT412 DY180404 / 100 / 3.7 : 3.0, 23 AM 170912 , 23 Rosebud Creek open
MT414 DY180404 / 100 / 3.3 : 2.5, 22 AI 170919 , 22 snow in trees
MT415 DY180403 / 100 / 1.3 : 1.4, 36 AM 170918 , 36
MT416 DY180403 / 100 / 0.6 : 0.6, 36 AI 170919 , 36
MT417 DY180403 / 100 / 0.6 : 0.7, 36 AI 170919 , 36
MT418 DY180403 / 100 / 3.5 : 2.5, 18 AM 151013 , 18 Little Missouri Rvr open
MT419 DY180403 / 100 / 1.8 : 2.0, 38 AI 170919 , 38 Boxelder Ck partial frzn
MT420 DY180403 / 100 / 1.9 : 1.6, 30 AI 170919 , 30 snow in trees
MT421 DY180403 / 100 / 2.3 : 1.6, 22 AI 170919 , 22
MT422 DY180403 / 100 / 2.1 : 1.7, 29 AI 170919 , 29
MT423 DY180403 / 100 / 1.5 : 1.6, 38 AM 170918 , 38
MT425 DY180403 / 100 / 1.7 : 1.4, 30 AI 170919 , 30
MT426 DY180403 / 100 / 1.8 : 1.7, 34 AI 170919 , 34
MT427 DY180403 / 100 / 1.9 : 1.3, 24 AM 170912 , 24
Lines in SE Montana flown today. The Milk river is partially open up to
the town of Havre and then frozen with small patches of open areas
headed east. In the Glasgow area, the snow cover becomes lighter.
Beaver Creek is partially open. There are some flooded farm fields 4
miles south of Bowdoin. The Judith River appears open up to the
Missouri River with heavy new snow in the area. The Missouri River is
frozen from Fort Peck Lake but opens up where the Yellowstone River
meets the Missouri.
NNNN
```







Airborne Photos






Airborne Photos






Missouri River Basin Flooding



Missouri River Basin Flooding




The Future - King Air

- JetProp Commander is an aging airframe Built in 1984
- Per the OMAO Recapitalization Plan a new King Air will replace the JetProp in 2020.
- Feasibility Study of a King Air 350ER was completed
 Fall / early winter 2017-2018







Multi-sensor Snow Observations

Snow Modeling and Data
Assimilation

Snow Information Products

Ground

Airborne

Satellite

Numerical Weather Prediction Model Forcings

Gridded Snow Characteristics

U.S.

1-km²

Hourly

Data Products

Interactive Maps


Time Series Plots

Text Discussions



NOHRSC Snow Model Physics

$$(K\downarrow -K\uparrow) + (L\downarrow - L\uparrow) + Q_e + Q_h + Q_g + Q_p = \Delta Q$$



Snow Modeling Framework

Hourly Input

Numerical Weather Models (1 km)

Temperature

Relative Humidity

Wind Speed

Solar Radiation

Atmos. Radiation

Precipitation

Precipitation Type

GIS Data (1 km)

Soils Properties

Land Use/Cover

Snow Energy and Mass Balance Model

Blowing Snow Model

Radiative Transfer Model

State Variables for

Multiple Vertical

Snow & Soil Layers

Snow Water Equivalent

Snow Depth

Snow Temperature

Liquid Water Content

Snow Sublimation

Snow Melt

Data Assimilation

2

Snow **Observations**

> **Snow Water** Equivalent

Snow Depth

Snow Cover

NSA Product

Generation

Interactive Maps

Digital Data


Discussions

Forest Properties

Snow Observational Assimilation

Daily SWE and Snow Depth Observations are used to update the model

If pattern of differences is explainable, an update field is generated and used to nudge the model toward observed states




- Uncertainties in driving data
 - Precipitation under/over estimation
 - Typing issue; rain/ snow
 - Placement of storm track

- Uncertainties due to model physics
 - Melt problems due to temperature bias
 - Sublimation rates



Best Estimate of SWE



Benefits of NSA Products


Use of NSA Information Products at NCRFC

NWS River Forecast System

N. Raccoon River, Des Moines River Basin

2004 February 12 - March 11

NWSRFS without NSA data



Example: Two river discharge peaks were observed but underestimated by NWSRFS

National Snow Analysis

Multi-sensor Snow Observations

Snow Modeling and Data
Assimilation

Snow Information Products

Ground

Airborne

Satellite

Numerical Weather Prediction Model

Gridded Snow Characteristics

U.S.

1-km²

Hourly


Data Products

Interactive Maps

Time Series Plots

Text Discussions






9

National Operational Hydrologic Remote Sensing Center

Interactive Snow Information

Navigation Tools Redraw Map Select Physical Element-Snow Water Equivalent Select Date-2019 # February # 17 \$ 00:00 UTC\$ Snap to nearest time Select Overlays Mydrologic Features

RFC Basins Other Basins Label HUCs (6-digit) RFC Boundaries Rivers and Streams Lakes and Reservoirs Political Features **County Boundaries CWA Boundaries** State Boundaries National Boundaries Fed. Indian Land Areas Point Features Stations O Label Cities Flight Lines - Label Climate Stra. • Label di C Label Skiing Transportation Features Roads and Highways Other features NSA Disc. Regions **NSA Disc. Subregions** NSA Modelling Tiles



Gridded observed snowfall images, seasonal totals, and data downloads in several formats can now be found on the National Snowfall Analysis page.

Directions:

- Select a physical element to view, select a date, select overlays, and click "Redraw Map."
- Clicking on the map while the Recenter button is selected (red) will recenter the map on that point.
- Clicking on the Zoom Control slider will zoom into or out of the map.
- Clicking on the map and dragging with the button held down while the Recenter button is selected (red) will zoom to a rectangle when the button is released.
- Stations and regions can be queried using the Query button and menu.


Vector GIS Datasets used by this page Raster GIS Datasets used by this page

English units 7


Map Preferences

- Legend below map
- S Background Image
- **6** Hill shading
- High-contrast palette
- Title on image
- 800 pixels map width
- 450 pixels map height

Physical Element Map Options




Tom.	rational Hydrologic Remote Sensing Center	Get Time Series for Bas Get Basin Averag		Quick Query Links Go Listing HAFC 1 Go Listing HC 2 Go Listing Go Listing
Home Help		Zoom ki	atest Observa	tions :
Redraw Map Select Physical Element Snow Water Equivalent : Select Date 2014 : November :	Modeled Snow Water Equivalent f	forecasted for 2	EST75 MADIS HAMA	r 13, 13:00 UTC
13 : 13:00 UTC : + ++ © Snap to nearest time Select Overlays Hydrologic Features RFC Basins • Label	EERUS ENCUT	HOOCT O	E0539 MACHS	C2751 MAD C WAD SO
■ Other Basins ● Label ■ HUCs (8-digit) ■ RFC Boundaries ■ Rivers and Streams ■ Lakes and Reservoirs Political Features ■ County Boundaries ■ CWA Boundaries	CJSUN INCCL WRIGGS CJSUN INCCL WRIGGS KPGA RPGA OF BETTAL	SCVC2 S	кгнхв О	ATTES WADES DECRES WADES DECRES WADES GOSOO
State Boundaries National Boundaries Point Features Stations G C Label Cities G Label Flight Lines C Label Climate Stns. C Label	After MADIA WCTNS VACA KMSAD READ READ READ READ FAMOUR READ READ FAMOUR FAMOUR READ FAMOUR FAMOU	MADES .	ď	EZRET MADIS BO
Transportation Features Roads and Highways		857 mi		



SnowEx

- Synergies from research to operations.
- King Air Calibration and Validation
- Snow DA meeting Improving Water Prediction by Assimilating Snow and Soil Observations.



Questions?







Carrie Olheiser

Carrie.olheiser@noaa.gov

Office of Water Prediction

1735 Lake Drive West

Chanhassen, MN

952-368-2503

www.nohrsc.noaa.gov



Snow Economics

"The Value of Snow and Snow Information Services" (2004)

Dr. Richard Adams
Professor, Agricultural and
Resource Economics Oregon
State University

Dr. Laurie Houston
Research Assistant Oregon
State University

Dr. Rodney Weiher
Chief Economist National
Oceanic and Atmospheric
Administration U.S. Dept. of
Commerce

Economic Benefits of Snow

Winter tourism	Exceeds \$8 billion / yr	New England and Rocky Mountains
Cold water fishing (snow is cold water source)	Exceeds 2.3 billion / yr	New England
Snowpack water storage	Up to \$348 billion / yr	Western U.S.

"... improved snow information and services have potential benefits greater than \$1.3 billion annually."

Economic Costs of Snow

Snow removal	Exceeds \$2 billion / yr	U.S.
Road closures that cause lost retail trade, wages, and tax revenue	Exceeds \$10 billion / day	Eastern U.S.
Flight delays	\$3.2 billion / yr	U.S. carriers
Damage to utilities	Up to \$2 billion / event	
Flooding from snowmelt	\$4.3 billion	1997 U.S. floods

"... investments that make only modest improvements in snow information will have <u>substantial economic payoffs.</u>"


Airborne Snow Water Equivalent

Measurement Error (cm)


Agri. Forest

Root Mean Square Error	0.81	2.31
Average Absolute Error	0.75	1.87
Average Bias	0.54	0.15
Percent Bias	12.10	1.28
N (flight lines)	23	70

Natural Terrestrial Gamma Radiation




Data Collection



AGDAS




Red River Basin - UNH NCRFC



National Water Model

Soil Moisture





NOHRSC NSA

58.8 % of CONUS snow covered on February 21, 2019.

